

Extreme Adventure Ltd – Risk Assessment

Activity- Scramble Net Challenge

What are the Hazards which cause:	Who/what may be harmed? (give specific of people e.g. staff, visitors, users or contractors)	What is done now? (i.e. provision of training, corporate and local standards, codes of safe working practice, supervision, monitoring systems)	What is the rate of Risk? (Rate risk as Low, Medium or High)	What action needs to be taken? (the needs to be considered in that the risks are identified and effectively controlled)	By when? (what is the target date for completion)
Structure moving and causing injury	Participant/Staff	The whole structure is rag bolted to floor	Severity of Risk (S)- 3 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 3 LOW	Daily checks	Ongoing
Participant getting caught in the net as they drop off the top	Participant	The top of the net is secured 0.8m further out from the base. Therefore this reduces the risk of getting caught in the	Severity of Risk (S)- 2 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 2 LOW	Daily checks	Ongoing
Participant falling off the net and falling to the floor and sustaining serious injuries	Participant	Each Participant is harnesses and attached to an approved Auto Belay which controls the Participant's fall in a controlled manner	Severity of Risk (S)- 3 Likelihood of Risk (L)-1 Overall Risk (S x L)= 3 LOW	Daily checks	Ongoing
Participant falling awkwardly to the floor	Participant	Autobelay has a very slow descent	Severity of Risk (S)- 3 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 3 LOW	Daily checks	Ongoing

Extreme Adventure Ltd Risk Assessment for Scramble Net Challenge

Dated 03/1/11

Document Issue 1.4

What are the Hazards which cause:	Who/what may be harmed? (give specific of people e.g. staff, visitors, users or contractors)	What is done now? (i.e. .provision of training, corporate and local standards, codes of safe working practice, supervision, monitoring systems)	What is the rate of Risk? (Rate risk as Low, Medium or High)	What action needs to be taken? (the needs to be considered in that the risks are identified and effectively controlled)	By when? (what is the target date for completion)
People not using the equipment walking into the climb zone and causing injury to themselves and climbers	Participants and other Participants or Spectators	The Activity is fenced off to stop people inadvertently entering the area	Severity of Risk (S)- 3 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 3 LOW	Daily checks	Ongoing

Calculation of Risk Evaluation

Severity (S)

Severity of Risk is judged by evaluating the effects of the hazard if the risk occurs.

This is evaluated as Minor = 1, Major = 2, Serious = 3

Risk Likelihood (L)

The likelihood of the harm occurring is evaluated on the following basis:

Unlikely =1, Possible = 2, Likely = 3

Overall Risk

Overall Risk is calculated by multiplying the figure for Severity (S) x Likelihood (L). The figure calculated is related to the rate of risk as follows

1 to 3 Low, 4 to 6 Medium, 7 to 9 High

Circulation	Management, Staff & Show or Event Organisers
Assessor	Caldwell
Date Assessed	3 rd November 2011
Review Date	Every 12 months next review 3/11/2012